

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:emcs="http://emcs.dgtaxud.ec/v10/types" xmlns:tms="http://emcs.dgtaxud.ec/v10/tms"
  xmlns:tcl="http://emcs.dgtaxud.ec/v10/tcl" xmlns:doc="http://emcs.dgtaxud.ec/v10/doc"
  targetNamespace="http://emcs.dgtaxud.ec/v10/cd813/ie"
  xmlns:ie="http://emcs.dgtaxud.ec/v10/cd813/ie"
  elementFormDefault="qualified" attributeFormDefault="unqualified" version="1.00">
  <!--=====
  <!===== IE813:C_UPD_DAT -->
  <!===== CHANGE OF DESTINATION -->
  <!--=====
  <!===== Imports =====>
  <xs:import namespace="http://emcs.dgtaxud.ec/v10/types" schemaLocation="types.xsd" />
  <xs:import namespace="http://emcs.dgtaxud.ec/v10/tms" schemaLocation="tms.xsd" />
  <xs:import namespace="http://emcs.dgtaxud.ec/v10/tcl" schemaLocation="tcl.xsd" />
  <xs:import namespace="http://emcs.dgtaxud.ec/v10/doc" schemaLocation="doc.xsd" />
  <!--=====
  <!===== Root Element =====>
  <xs:element name="CD813A" type="ie:CD813AType" />
  <!--=====
  <!===== EMCS Data Groups Declarations =====>
  <xs:complexType name="CD813AType">
    <xs:sequence>
      <xs:element name="Header" type="tms:HeaderType" />
      <xs:element name="Body" type="ie:BodyType" />
    </xs:sequence>
  </xs:complexType>
  <!--=====
  <!===== IE Specific Data Groups Declarations =====>
  <xs:complexType name="BodyType">
    <xs:sequence>
```

```

<xs:element name="ChangeOfDestination" type="ie:ChangeOfDestinationType" />
</xs:sequence>
</xs:complexType>

<xs:complexType name="ChangeOfDestinationType">
<xs:sequence>
<xs:element ref="ie:Attributes" />
<xs:element ref="ie>NewTransportArrangerTrader" minOccurs="0" />
<xs:element ref="ie>NewTransporterTrader" minOccurs="0" />
<xs:element ref="ie:TransportDetails" minOccurs="0" maxOccurs="unbounded" />
<xs:element ref="ie:UpdateEaad" />
<xs:element ref="ie:ChangedDestination" />
</xs:sequence>
</xs:complexType>

<xs:element name="Attributes" type="ie:AttributesType" />
<xs:element name="NewTransportArrangerTrader" type="ie:NewTransportArrangerTraderType" />
<xs:element name="NewTransporterTrader" type="ie:NewTransporterTraderType" />
<xs:element name="TransportDetails" type="ie:TransportDetailsType" />
<xs:element name="UpdateEaad" type="ie:UpdateEaadType" />
<xs:element name="ChangedDestination" type="ie:ChangedDestinationType" />
<xs:complexType name="AttributesType">
<xs:sequence>
<xs:element name="DateAndTimeOfValidationOfChangeOfDestination" type="emcs:DateTimeType"
minOccurs="0" />
</xs:sequence>
</xs:complexType>

<xs:complexType name="NewTransportArrangerTraderType">
<xs:sequence>
<xs:element name="VatNumber" type="ie:VatNumberType" minOccurs="0" />

```

```

<xs:element name="TraderName" type="ie:TraderNameType" />

<xs:element name="StreetName" type="ie:StreetNameType" />

<xs:element name="StreetNumber" type="ie:StreetNumberType" minOccurs="0" />

<xs:element name="Postcode" type="ie:PostcodeType" />

<xs:element name="City" type="ie:CityType" />

</xs:sequence>

<xs:attribute name="language" type="emcs:LanguageCodeType" use="required" />

</xs:complexType>

<xs:complexType name="NewTransporterTraderType">

<xs:sequence>

<xs:element name="VatNumber" type="ie:VatNumberType" minOccurs="0" />

<xs:element name="TraderName" type="ie:TraderNameType" />

<xs:element name="StreetName" type="ie:StreetNameType" />

<xs:element name="StreetNumber" type="ie:StreetNumberType" minOccurs="0" />

<xs:element name="Postcode" type="ie:PostcodeType" />

<xs:element name="City" type="ie:CityType" />

</xs:sequence>

<xs:attribute name="language" type="emcs:LanguageCodeType" use="required" />

</xs:complexType>

<xs:complexType name="TransportDetailsType">

<xs:sequence>

<xs:element name="TransportUnitCode" type="ie:TransportUnitCodeType" />

<xs:element name="IdentityOfTransportUnits" type="ie:IdentityOfTransportUnitsType" />

<xs:element name="CommercialSealIdentification" type="ie:CommercialSealIdentificationType"
minOccurs="0" />

<xs:element name="ComplementaryInformation" type="ie:LSDComplementaryInformationType"
minOccurs="0" />

<xs:element name="SealInformation" type="ie:LSDSealInformationType" minOccurs="0" />

</xs:sequence>

```

```

</xs:complexType>

<xs:complexType name="UpdateEaadType">
  <xs:sequence>
    <xs:element name="AadReferenceCode" type="emcs:AadReferenceCodeType" />
    <xs:element name="JourneyTime" type="ie:JourneyTimeType" minOccurs="0" />
    <xs:element name="ChangedTransportArrangement" type="tcl:TransportArrangement" minOccurs="0"
  />
    <xs:element name="SequenceNumber" type="emcs:SequenceNumberType" minOccurs="0" />
    <xs:element name="InvoiceDate" type="emcs:DateType" minOccurs="0" />
    <xs:element name="InvoiceNumber" type="ie:InvoiceNumberType" minOccurs="0" />
    <xs:element name="TransportModeCode" type="ie:TransportModeCodeType" minOccurs="0" />
  </xs:sequence>
</xs:complexType>

<xs:complexType name="ChangedDestinationType">
  <xs:sequence>
    <xs:element name="DestinationTypeCode" type="tcl:ChangeOfDestinationTypeCode" />
    <xs:element name="NewConsigneeTrader" type="ie:NewConsigneeTraderType" minOccurs="0" />
    <xs:element name="DeliveryPlaceTrader" type="ie:DeliveryPlaceTraderType" minOccurs="0" />
    <xs:element name="DeliveryPlaceCustomsOffice" type="ie:DeliveryPlaceCustomsOfficeType"
minOccurs="0" />
  </xs:sequence>
</xs:complexType>

<xs:complexType name="NewConsigneeTraderType">
  <xs:sequence>
    <xs:element name="Traderid" type="ie:TraderidType" minOccurs="0" />
    <xs:element name="TraderName" type="ie:TraderNameType" />
    <xs:element name="StreetName" type="ie:StreetNameType" />
    <xs:element name="StreetNumber" type="ie:StreetNumberType" minOccurs="0" />
    <xs:element name="Postcode" type="ie:PostcodeType" />
  
```

```

<xs:element name="City" type="ie:CityType" />

</xs:sequence>

<xs:attribute name="language" type="emcs:LanguageCodeType" use="required" />

</xs:complexType>

<xs:complexType name="DeliveryPlaceTraderType">

<xs:sequence>

<xs:element name="Traderid" type="ie:TraderidType" minOccurs="0" />

<xs:element name="TraderName" type="ie:TraderNameType" minOccurs="0" />

<xs:element name="StreetName" type="ie:StreetNameType" minOccurs="0" />

<xs:element name="StreetNumber" type="ie:StreetNumberType" minOccurs="0" />

<xs:element name="Postcode" type="ie:PostcodeType" minOccurs="0" />

<xs:element name="City" type="ie:CityType" minOccurs="0" />

</xs:sequence>

<xs:attribute name="language" type="emcs:LanguageCodeType" use="optional" />

</xs:complexType>

<xs:complexType name="DeliveryPlaceCustomsOfficeType">

<xs:sequence>

<xs:element name="ReferenceNumber" type="emcs:ExciseOfficeCodeType" />

</xs:sequence>

</xs:complexType>

<!--===== IE Specific Data Items Declarations =====-->

<xs:simpleType name="CityType">

<xs:annotation>

<xs:documentation>

<doc:description value="City" />

</xs:documentation>

</xs:annotation>

<xs:restriction base="xs:token">

```

```
<xs:maxLength value="50" />
<xs:pattern value=".{1,50}" />
</xs:restriction>
</xs:simpleType>

<xs:simpleType name="CommercialSealIdentificationType">
<xs:annotation>
<xs:documentation>
<doc:description value="Commercial Seal Identification" />
</xs:documentation>
</xs:annotation>
<xs:restriction base="xs:token">
<xs:maxLength value="35" />
<xs:pattern value=".{1,35}" />
</xs:restriction>
</xs:simpleType>

<xs:simpleType name="ComplementaryInformationType">
<xs:annotation>
<xs:documentation>
<doc:description value="Complementary Information" />
</xs:documentation>
</xs:annotation>
<xs:restriction base="xs:token">
<xs:maxLength value="350" />
<xs:pattern value=".{1,350}" />
</xs:restriction>
</xs:simpleType>

<xs:simpleType name="IdentityOfTransportUnitsType">
<xs:annotation>
```

```
<xs:documentation>
  <doc:description value="Identity of Transport Units" />
</xs:documentation>
</xs:annotation>
<xs:restriction base="xs:token">
  <xs:maxLength value="35" />
  <xs:pattern value=".{1,35}" />
</xs:restriction>
</xs:simpleType>

<xs:simpleType name="JourneyTimeType">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Journey Time" />
    </xs:documentation>
  </xs:annotation>
  <xs:restriction base="xs:token">
    <xs:length value="3" />
    <xs:pattern value=".{3}" />
  </xs:restriction>
</xs:simpleType>

<xs:complexType name="LSDComplementaryInformationType">
  <xs:simpleContent>
    <xs:extension base="ie:ComplementaryInformationType">
      <xs:attribute name="language" type="emcs:LanguageCodeType" use="required" />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>

<xs:complexType name="LSDSeallInformationType">
```

```
<xs:simpleContent>
  <xs:extension base="ie:SealInformationType">
    <xs:attribute name="language" type="emcs:LanguageCodeType" use="required" />
  </xs:extension>
</xs:simpleContent>
</xs:complexType>

<xs:simpleType name="PostcodeType">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Postcode" />
    </xs:documentation>
  </xs:annotation>
  <xs:restriction base="xs:token">
    <xs:maxLength value="10" />
    <xs:pattern value=".{1,10}" />
  </xs:restriction>
</xs:simpleType>

<xs:simpleType name="SealInformationType">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Seal Information" />
    </xs:documentation>
  </xs:annotation>
  <xs:restriction base="xs:token">
    <xs:maxLength value="350" />
    <xs:pattern value=".{1,350}" />
  </xs:restriction>
</xs:simpleType>
```

```
<xs:simpleType name="StreetNameType">
  <xs:restriction base="xs:token">
    <xs:maxLength value="65" />
    <xs:pattern value=".{1,65}" />
  </xs:restriction>
</xs:simpleType>

<xs:simpleType name="StreetNumberType">
  <xs:restriction base="xs:token">
    <xs:maxLength value="11" />
    <xs:pattern value=".{1,11}" />
  </xs:restriction>
</xs:simpleType>

<xs:simpleType name="TraderNameType">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Trader Name" />
    </xs:documentation>
  </xs:annotation>
  <xs:restriction base="xs:token">
    <xs:maxLength value="182" />
    <xs:pattern value=".{1,182}" />
  </xs:restriction>
</xs:simpleType>

<xs:simpleType name="TraderidType">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="TraderID" />
    </xs:documentation>
```

```
</xs:annotation>

<xs:restriction base="xs:token">

    <xs:maxLength value="16" />

    <xs:pattern value=".{1,16}" />

</xs:restriction>

</xs:simpleType>

<xs:simpleType name="TransportUnitCodeType">

    <xs:annotation>

        <xs:documentation>

            <doc:description value="Transport Unit Code" />

            <doc:codeList name="TransportUnits" />

        </xs:documentation>

    </xs:annotation>

    <xs:restriction base="xs:token">

        <xs:maxLength value="2" />

        <xs:pattern value="[0-9]{1,2}" />

    </xs:restriction>

</xs:simpleType>

<xs:simpleType name="VatNumberType">

    <xs:annotation>

        <xs:documentation>

            <doc:description value="VAT Number" />

        </xs:documentation>

    </xs:annotation>

    <xs:restriction base="xs:token">

        <xs:maxLength value="35" />

        <xs:pattern value=".{1,35}" />

    </xs:restriction>
```

```
</xs:simpleType>

<xs:simpleType name="InvoiceNumberType">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Invoice Number" />
    </xs:documentation>
  </xs:annotation>
  <xs:restriction base="xs:token">
    <xs:maxLength value="35" />
    <xs:pattern value=".{1,35}" />
  </xs:restriction>
</xs:simpleType>

<xs:simpleType name="TransportModeCodeType">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Transport Mode Code" />
      <doc:codeList name="TransportMode" />
    </xs:documentation>
  </xs:annotation>
  <xs:restriction base="xs:token">
    <xs:maxLength value="2" />
    <xs:pattern value="[0-9]{1,2}" />
  </xs:restriction>
</xs:simpleType>

</xs:schema>
```